



PJ.17 SWIM Technical Infrastructure scope and roadmap

Dario Di Crescenzo (Leonardo) on behalf of
Xavier Jourdain (Thales LAS France)
PJ.17 Project Coordinator

SWIM Open Day, Leonardo Rome, 17th February 2020



Founding Members



Agenda




- PJ.17 SWIM-Technical Infrastructure Overview
- PJ.17-01 - SWIM-TI Purple Profile for A/G Advisory Info Sharing
- PJ.17-03 - SWIM-TI Green Profile for G/G Civil Military Information Sharing
- PJ.17-08 - SWIM-TI Common Runtime Registry
- Partnership
- Extension of the project in SESAR 2020 Wave 2



PJ.17 SWIM-TI overview



PJ.17-08 Common Runtime Registry



PJ.17-01 – SWIM-TI Purple Profile for A/G Advisory Info Sharing



- Integrate the aircraft into the SWIM network,
➔ access to the air/ground existing or new services (e.g. in meteorological and aeronautical domains)
- Interoperable runtime infrastructure over which Purple Profile-enabled SWIM services are provided and consumed
- Advisory information
- Benefits:
 - Supports improved situation awareness for better decision making, e.g. provision of accurate meteorological predictions to the A/C in adverse conditions
 - Expected positive impact on Cost Efficiency



PJ.17-03 – SWIM-TI Green Profile for G/G Civil Military Information Sharing



SWIM-TI “Green Profile” (GP)

- G/G civil-military information exchanges for coordination/cooperation
- Increase (cyber) **security** and **resilience** when needed
- Anticipate support of new SWIM services (civil and/or **military** provided)

Bidirectional information exchanges


- Between civil ATM systems and military ATC/Air Defence systems
- **IEG** (Information Exchange Gateway) connecting military domains of different security levels

First Services considered

- Mission Trajectories, Air policing

Deployment

- **PCP** → No GP: CIV-MIL coordination based on Yellow Profile
- **Post PCP** → 1st level of GP (YP-MIL and BP-MIL extensions)



PJ.17-08 – SWIM-TI Common Runtime Registry

Main functions


- Handling and provisioning of a operational service status
- Search for suitable services among the known providers, based on selection criteria

How does it work?

- While a *design-time registry* offers *static* content, similar to a directory listing all available hotels in a city, *runtime registry* adds the *real-time* aspect, similar to hotel booking websites showing also the *current* availabilities

Foreseen benefits

- Facilitate services offering on the market, thus lowering entry barriers for new service providers
- Allow to choose the cheapest service for a given QoS for every service call
- Increase resilience by allowing to dynamically switch to an alternative service in case of failure



PJ.17 Partnership

Service Providers




Airborne and Ground Industry



Extension of the project in S2020 Wave 2



SWIM TI Purple Profile for Air/Ground *Safety-Critical* Information Sharing



SWIM TI Green Profile for G/G Civil Military Information Sharing





SESAR 2020 - PJ.17 scope and roadmap

xavier.jourdain@thalesgroup.com

Thank you very much for your attention!



This project has received funding from the SESAR Joint Undertaking under the European Union's Horizon 2020 research and innovation programme under grant agreement No 730195



Founding Members



The opinions expressed herein reflect the author's view only.

Under no circumstances shall the SESAR Joint Undertaking be responsible for any use that may be made of the information contained herein.